

5.4.2 SEVERE WINTER STORM

This section provides a profile and vulnerability assessment for the severe winter storm hazard.

HAZARD PROFILE

This section provides profile information including description, extent, location, previous occurrences and losses and the probability of future occurrences.

Description

For the purpose of this HMP and as deemed appropriated by Broome County, most severe winter storm hazards include heavy snow (snowstorms), blizzards, sleet, freezing rain, and ice storms. Since most extra-tropical cyclones (mid-Atlantic cyclones locally known as Northeasters or Nor'Easters), generally take place during the winter weather months (with some events being an exception), these hazards have also been grouped as a type of severe winter weather storm. According to the New York State Hazard Mitigation Plan (NYS HMP), winter storms are frequent events for the State of New York and occur from late October until mid-April. These types of winter events or conditions are further defined below.

Heavy Snow: According to the National Weather Service (NWS), heavy snow is generally snowfall accumulating to 4 inches or more in depth in 12 hours or less; or snowfall accumulating to six inches or more in depth in 24 hours or less. A snow squall is an intense, but limited duration, period of moderate to heavy snowfall, also known as a snowstorm, accompanied by strong, gusty surface winds and possibly lightning (generally moderate to heavy snow showers) (NWS, 2009). Snowstorms are complex phenomena involving heavy snow and winds, whose impact can be affected by a great many factors, including a region's climatologically susceptibility to snowstorms, snowfall amounts, snowfall rates, wind speeds, temperatures, visibility, storm duration, topography, and occurrence during the course of the day, weekday versus weekend, and time of season (Kocin and Uccellini, 2011).

Blizzard: Blizzards are characterized by low temperatures, wind gusts of 35 miles per hour (mph) or more and falling and/or blowing snow that reduces visibility to ¼-mile or less for an extended period of time (three or more hours) (NWS, 2009).

Sleet or Freezing Rain Storm: Sleet is defined as pellets of ice composed of frozen or mostly frozen raindrops or refrozen partially melted snowflakes. These pellets of ice usually bounce after hitting the ground or other hard surfaces. Freezing rain is rain that falls as a liquid but freezes into glaze upon contact with the ground. Both types of precipitation, even in small accumulations, can cause significant hazards to a community (NWS, 2009).

Ice storm: An ice storm is used to describe occasions when damaging accumulations of ice are expected during freezing rain situations. Significant accumulations of ice pull down trees and utility lines resulting in loss of power and communication. These accumulations of ice make walking and driving extremely dangerous, and can create extreme hazards to motorists and pedestrians (NWS, 2009).

Extra-Tropical Cyclone: Extra-tropical cyclones, sometimes called mid-latitude cyclones, are a group of cyclones defined as synoptic scale, low pressure, weather systems that occur in the middle latitudes of the Earth. These storms have neither tropical nor polar characteristics and are connected with

fronts and horizontal gradients in temperature and dew point otherwise known as "baroclinic zones". Extra-tropical cyclones are everyday weather phenomena which, along with anticyclones, drive the weather over much of the Earth. These cyclones produce impacts ranging from cloudiness and mild showers to heavy gales and thunderstorms. Tropical cyclones often transform into extra-tropical cyclones at the end of their tropical existence, usually between 30 degrees (°) and 40° latitude, where there is sufficient force from upper-level shortwave troughs riding the westerlies (weather systems moving west to east) for the process of extra-tropical transition to begin. A shortwave trough is a disturbance in the mid or upper part of the atmosphere which induces upward motion ahead of it. During an extra-tropical transition, a cyclone begins to tilt back into the colder air mass with height, and the cyclone's primary energy source converts from the release of latent heat from condensation (from thunderstorms near the center) to baroclinic processes (Canadian Hurricane Centre [CHC], 2003).

Nor'Easter (abbreviation for Northeaster): Nor'Easters are named for the strong northeasterly winds that blow in from the ocean ahead of the storm and over coastal areas. They are also referred to as a type of extra-tropical cyclones (mid-latitude storms, or Great Lake storms). A Nor'Easter is a macro-scale extra-tropical storm whose winds come from the northeast, especially in the coastal areas of the northeastern U.S. and Atlantic Canada. Wind gusts associated with Nor'Easters can exceed hurricane forces in intensity. Unlike tropical cyclones that form in the tropics and have warm cores (including tropical depressions, tropical storms and hurricanes); Nor'Easters contain a cold core of low barometric pressure that forms in the mid-latitudes. Their strongest winds are close to the earth's surface and often measure several hundred miles across. Nor'Easters may occur at any time of the year but are more common during fall and winter months (September through April) (NYCOEM, Date Unknown).

Nor'Easters can cause heavy snow, rain, gale force winds and oversized waves (storm surge) that can cause beach erosion, coastal flooding, structural damage, power outages and unsafe human conditions. If a Nor'Easter cyclone stays just offshore, the results are much more devastating than if the cyclone travels up the coast on an inland track. Nor'Easters that stay inland are generally weaker and usually cause strong winds and rain. The ones that stay offshore can bring heavy snow, blizzards, ice, strong winds, high waves, and severe beach erosion. In these storms, the warmer air is aloft. Precipitation falling from this warm air moves into the colder air at the surface, causing crippling sleet or freezing rain (McNoldy [Multi-Community Environmental Storm Observatory (MESO)], Date Unknown). While some of the most devastating effects of Nor'Easters are experienced in coastal areas (e.g. beach erosion, coastal flooding), the effects on inland areas, like Delaware County, may include heavy snow, strong winds and blizzards.

Winter storms can also generate coastal flooding, ice jams and snow melt, resulting in significant damage and loss of life. Coastal floods are caused when the winds generated from intense winter storms cause widespread tidal flooding and severe beach erosion along coastal areas. Ice jams are caused when long cold spells freeze up rivers and lakes. A rise in the water level or a thaw breaks the ice into large chunks. These chunks become jammed at man-made and natural obstructions. The ice jams act as a dam and result in flooding (NSSL, 2006).

Extent

The magnitude or severity of a severe winter storm depends on several factors including a region's climatological susceptibility to snowstorms, snowfall amounts, snowfall rates, wind speeds, temperatures, visibility, storm duration, topography, and time of occurrence during the day (e.g., weekday versus weekend), and time of season.

SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

The extent of a severe winter storm can be classified by meteorological measurements, such as those above, and by evaluating its societal impacts. The Northeast Snowfall Impact Scale (NESIS) categorizes snowstorms, including Nor’Easter events, in this manner. Unlike the Fujita Scale (tornado) and Saffir-Simpson Scale (hurricanes), there is no widely used scale to classify snowstorms. NESIS was developed by Paul Kocin of The Weather Channel and Louis Uccellini of the NWS to characterize and rank high-impact, northeast snowstorms. These storms have large areas of 10 inch snowfall accumulations and greater. NESIS has five ranking categories: Notable (1), Significant (2), Major (3), Crippling (4), and Extreme (5) (Table 5.4.2-1). The index differs from other meteorological indices in that it uses population information in addition to meteorological measurements. Thus, NESIS gives an indication of a storm’s societal impacts. This scale was developed because of the impact northeast snowstorms can have on the rest of the country in terms of transportation and economic impact (Kocin and Uccellini, 2011).

Table 5.4.2-1. NESIS Ranking Categories 1 - 5

Category	Description	NESIS Range	Definition
1	Notable	1.0 – 2.49	These storms are notable for their large areas of 4-inch accumulations and small areas of 10-inch snowfall.
2	Significant	2.5 – 3.99	Includes storms that produce significant areas of greater than 10-inch snows while some include small areas of 20-inch snowfalls. A few cases may even include relatively small areas of very heavy snowfall accumulations (greater than 30 inches).
3	Major	4.0 – 5.99	This category encompasses the typical major Northeast snowstorm, with large areas of 10-inch snows (generally between 50 and 150 × 103 mi ² —roughly one to three times the size of New York State with significant areas of 20-inch accumulations.
4	Crippling	6.0 – 9.99	These storms consist of some of the most widespread, heavy snows of the sample and can be best described as crippling to the northeast U.S, with the impact to transportation and the economy felt throughout the United States. These storms encompass huge areas of 10-inch snowfalls, and each case is marked by large areas of 20-inch and greater snowfall accumulations.
5	Extreme	10 +	The storms represent those with the most extreme snowfall distributions, blanketing large areas and populations with snowfalls greater than 10, 20, and 30 inches. These are the only storms in which the 10-inch accumulations exceed 200 × 103 mi ² and affect more than 60 million people.

Source: Kocin and Uccellini, 2004

NESIS scores are a function of the area affected by the snowstorm, the amount of snow, and the number of people living in the path of the storm. These numbers are calculated into a raw data number ranking from “1” for an insignificant fall to over “10” for a massive snowstorm. Based on these raw numbers, the storm is placed into its decided category. The largest NESIS values result from storms producing heavy snowfall over large areas that include major metropolitan centers (Enloe, 2011).


Location

The climate of New York State is marked by abundant snowfall. Winter weather can reach New York State as early as October and is usually in full force by late November with average winter temperatures between 20 and 40° F. As indicated in the NYS HMP, communities in New York State receive more snow than most other communities in the nation. Although the entire State is subject to winter storms, the easternmost and west-central portions of the State are more likely to suffer under winter storm occurrences than any other location (New York State Disaster Preparedness Commission [NYSDFPC], 2008). With the exception of coastal New York State, the State receives an average seasonal amount of

SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

40 inches of snow or more. The average annual snowfall is greater than 70 inches over 60-percent of New York State's area; including Broome County (Figure 5.4.2-1).

Figure 5.4.2-1. Annual Mean Snowfall within the Eastern U.S.




Source: NWS, 2011

The climate of upstate New York, with its northern latitude and high precipitation rate, is conducive to the regular occurrence of severe winter weather. Most areas of Broome County experience the effects of winter storms frequently. Historical information documented for multiple winter storm events indicate that Broome County is one of the hardest hit counties in New York State, in regards to winter storm events. Historically, severe storm bands tend to travel directly across Broome and Delaware Counties, resulting in significantly higher snowfall amounts than for surrounding counties (Broome County HMP, 2006).

Figure 5.4.2-2, an annual normal snowfalls map, illustrates the annual average snowfall totals over a 30 year period for New York State. The general indication of the average annual snowfall map shows areas that are subject to a consistent risk for large quantities of snow (NYS HMP, 2011).

SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

Figure 5.4.2-2. Annual Snowfall Normals for New York State, 1979-2009



Source: NYS HMP, 2011


Note: Broome County is indicated by a red circle with an average annual snow accumulation of 50 to 110-inches.

Figure 5.4.2-3 illustrates the average number of hours per year with freezing rain in the U.S. According to the figure, Broome County experiences between 13 and 18 hours per year (NYS HMP, 2011).

The general indication of the average annual snowfall map shows areas that are subject to a consistent risk for large quantities of snow (NYS HMP, 2011).

SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

Figure 5.4.2-3. Average Number of Hours Per Year with Freezing Rain in the United States



Source: NYS HMP, 2011

Note: Broome County is indicated by a red circle with an average number of 18 to 24 hours of freezing rain each year.

Previous Occurrences and Losses

Many sources provided historical information regarding previous occurrences and losses associated with severe winter storms and extreme cold events throughout New York State and Broome County. With so many sources reviewed for the purpose of this HMP, loss and impact information for many events could vary depending on the source. Therefore, the accuracy of monetary figures discussed is based only on the available information identified during research for this HMP.

The 2011 Draft New York State HMP rated each county in terms of their vulnerability to snow and ice storms hazards. Please refer to the NYS HMP for additional details on their point system. Table 5.4.2-2 and Table 5.4.2-3 summarizes Broome County’s rating for both hazards.

Table 5.4.2-2. Broome County’s Vulnerability Rating for Snow Storms.

County Rating Score (Max 25)	Annual Average Snowfall (inches)	*Extreme Snowfall Potential (no/yes)	# of Snow Related Disasters Population Density (per square mile)	Population Density (per square mile)	Total # of Structures
13	72.6	No	3	229.4	73,634

Source: Broome County GIS; NYS HMP, 2011

Table 5.4.2-3. Broome County’s Vulnerability Rating for Snow Storms

County Rating Score	Related Disasters	Total # of Structures
4	0	73,634

Source: Broome County GIS; NYS HMP, 2011



SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

According to NOAA’s NCDC storm events database, Broome County experienced 365 snow, ice, and cold events between April 30, 1950 and August 31, 2012. Total property damages, as a result of these winter storm events, were estimated at over \$22 million and \$100,000 in crop damage. This total also includes damages to other counties. According to the Hazard Research Lab at the University of South Carolina’s Spatial Hazard Events and Losses Database for the U.S. (SHELDUS), between 1960 and 2007, 148 winter storm events occurred within the County. The database indicated that severe winter storm events and losses specifically associated with Broome County and its municipalities totaled over \$2.8 million in property damage and over \$726,000 in crop damage. However, these numbers may vary due to the database identifying the location of the hazard event in various forms or throughout multiple counties or regions.

Between 1954 and 2012, FEMA declared that New York State experienced 22 winter storm-related disasters (DR) or emergencies (EM) classified as one or a combination of the following disaster types: winter storms, severe storms, ice storm, blizzard, snow, snowstorm, Nor’Easter and flooding. Generally, these disasters cover a wide region of the State; therefore, they may have impacted many counties. However, not all counties were included in the disaster declarations. Of those events, the NYS HMP and other sources indicate that Broome County has been declared as an emergency disaster area as a result of two winter storm-related events (FEMA, 2012).

Figure 5.4.2-4 shows the FEMA disaster declarations (DR) for “winter storms” and “blizzards” in New York State, from 1953 to August 2007. This figure indicates that Broome County was not included in any disaster declarations. Since the date of this figure, Broome County has not been included in any FEMA disaster declarations. Figure 5.4.2-5 shows the FEMA disaster declarations (DR) for ice storms in New York State, from 1983 and August 2007. This figure indicates that Broome County has not been included in any ice storm disaster declarations. Since the date of this figure, Broome County has not been included in any other disaster declarations for ice storms.

SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

Table 5.4.2-4. Winter Storm Events Between 1950 to 2012.

Dates of Event	Event Type	FEMA Declaration Number	County Designated?	Losses / Impacts	Source(s)
February 3-5, 1961	Winter Weather	N/A	N/A	Heavy snow, high wind and severe cold struck Broome County, causing over \$80 K in property damage.	SHELDUS
January 10-11, 1982	Blizzard	N/A	N/A	A blizzard caused over \$35 K in property damages to Broome County.	SHELDUS
April 16, 1983	Winter Weather	N/A	N/A	Heavy rain and snow caused over \$1.4 M in property and crop damages to Broome County.	SHELDUS
December 6-7, 1983	Winter Weather	N/A	N/A	Wind, snow and rain caused over \$178 K in property damage to Broome County.	SHELDUS
December 29, 1983	Winter Weather	N/A	N/A	A severe ice and sleet storm caused over \$178 K in property damage to Broome County.	SHELDUS
January 25, 1986	Snowstorm	N/A	N/A	A snowstorm caused approximately \$2 M in property damages and one death in Broome County.	SHELDUS
October 4, 1987	Winter Weather	N/A	N/A	A snowstorm caused over \$16 M in property damage and \$167 K in crop damages in Broome County.	SHELDUS
February 21, 1993	Snow/Cold	N/A	N/A	<p>February 1993 was one of the snowiest months of February on record across much of eastern New York State. At the Broome County Airport, 31.6 inches of snow fell in the month.</p> <p>February was also a cold month, with the average temperature around five degrees below normal. The average temperature at Broome County Airport was 18°F, which was 4.7 degrees below normal. Many occurrences of roofs collapsing from the weight of the snow were reported during the second half of the month.</p> <p>Broome County had approximately \$500 K in property damages.</p>	NOAA-NCDC, NWS
March 12-13, 1993 ("Blizzard of '93")	Blizzard	N/A	N/A	The blizzard impacted the Town of Conklin.	Broome County HMP
October 30 – November 1, 1993	Snow	N/A	N/A	On October 30 th , snow fell in the Susquehanna Region of New York State, bringing between two and seven inches of snow, with 4.7 inches in the City of Binghamton. Between October 31 st and November 1 st , a lower pressure system moved up the Atlantic Coast, resulting in heavy snow across the Susquehanna	NOAA-NCDC



SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

Dates of Event	Event Type	FEMA Declaration Number	County Designated?	Losses / Impacts	Source(s)
				<p>Region of New York State. Snowfall totals ranged between five and 20 inches, with some areas receiving up to 19.5 inches. The heavy, wet snow downed tree limbs and power lines, leaving over 20,000 people without power.</p> <p>The City of Binghamton received 6.8 inches of snow. The County had approximately \$1M in property damage.</p>	
February 8-9, 1994	Heavy Snow	N/A	N/A	<p>A low pressure system moved east from the Tennessee Valley, bringing heavy snow across parts of eastern New York State. Snowfall totals ranged from six to nine inches, with the largest totals being nine inches at the Binghamton Regional Airport. The County had approximately \$500K in property damage.</p>	NOAA-NCDC
January 7-8, 1996	Heavy Snow	N/A	N/A	<p>A winter storm brought heavy snow to the Susquehanna Region and Western Catskills. Snowfall totals ranged between six and 12 inches, which was common in Broome and Delaware Counties. However, in Sullivan County, between one and two feet of snow fell. The affected counties had approximately \$60K in property damages.</p>	NOAA-NCDC
February 24, 1998	Winter Weather	N/A	N/A	<p>In the Town of Chenango, there were reports of falling trees and power outages throughout the Town.</p>	Broome County HMP
March 21, 1999	Winter Weather	N/A	N/A	<p>In the Town of Chenango, there were reports of falling trees and power outages throughout the Town.</p>	Broome County HMP
January 19, 2002	Winter Storm	N/A	N/A	<p>A winter storm resulted in \$5,442.55 in losses in the Town of Chenango.</p>	Broome County HMP
December 25, 2002 – January 4, 2003	Snowstorm	EM-3173	Yes	<p>Between December 25 and 26, a snowstorm moved into central New York State and brought freezing rain and snow. Snowfall totals in the area ranged between six inches and three feet. Due to snowfall amounts, the New York State Thruway was closed for parts of the evening. The snow caused power outages to 3,000 customers in the Catskills. Many counties declared a state of emergency. In Broome County, snowfall totals ranged from 8.9 inches in Kattelville (Binghamton) to 12.7 inches in the City of Binghamton.</p> <p>Between January 3 and 4, a slow moving Nor'easter moved into central New York State, spreading snow. The snow was heavy at times, with totals ranging between eight and 25 inches. At least 20,000 customers were without power, some without power for a week. Emergency shelters were set up in some</p>	FEMA, NOAA-NCDC, NWS, SHELDUS, Broome County HMP



SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

Dates of Event	Event Type	FEMA Declaration Number	County Designated?	Losses / Impacts	Source(s)
				<p>areas. Broome County experienced the highest snowfall amounts (between 11.2 inches and 20.5 inches).</p> <p>In Broome County, widespread power outages occurred and shelters were opened. The Town of Chenango experienced approximately \$38,409.82 in damages. In the Town of Sanford, there was approximately \$29,674.86 in roadway losses.</p> <p>Broome County received \$683,719.92 as of April 29, 2003 for the snow events during this time period.</p>	
February 16-18, 2003 ("President's Day Storm")	Snowstorm	EM-3184	Yes	<p>A coastal storm moved up the east coast of the U.S. Snow fall spread into the southern Catskills and into the southern tier. At times, snow fell at rates of several inches an hour. Snowfall totals in the area ranged between 10 and 30 inches. Property damage from the storm was approximately \$2.7 M.</p> <p>In the Town of Chenango, numerous automobile accidents were reported. Total damages from the storm were approximately \$19,834 for the Town. The Town of Sanford had approximately \$9,638.71 in roadway losses.</p> <p>In Broome County, snowfall totals ranged from 11.5 inches in the Town of Colesville to 19 inches in Vestal Center in the Town of Vestal.</p>	FEMA, NOAA-NCDC, SHELDUS, NWS, Broome County HMP
December 14, 2003	Winter Storm	N/A	N/A	A winter storm moved up the Delmarva Peninsula, bringing snow to the Town of Chenango. This event caused numerous automobile accidents and total damages for the Town was approximately \$11,106.	Broome County HMP
January 27, 2004	Winter Storm	N/A	N/A	A winter storm event caused \$11,755 in losses to the Town of Chenango.	Broome County HMP
March 16-17, 2004	Snowstorm	N/A	N/A	Snowfall totals in Broome County ranged from 7 inches in the Town of Conklin and the hamlet of Riverside (Town of Kirkwood) to 11 inches in the Village of Whitney Point. The County had over \$20 K in property damages.	NWS, SHELDUS
January 22-23, 2005	Snowfall	N/A	N/A	A snowstorm brought heavy snow to the area, with totals in Broome County ranging from 8.5 inches in Vestal Center in the Town of Vestal to 14 inches in the Town of Chenango.	NWS
February 28-March 2, 2005	Snowstorm	N/A	N/A	A snowstorm occurred throughout the area. Snowfall totals in Broome County ranged from 10.8 inches in Endwell Hamlet to 15.2 inches in the Town of Vestal.	Broome County HMP, NWS



SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

Dates of Event	Event Type	FEMA Declaration Number	County Designated?	Losses / Impacts	Source(s)
March 1, 2005	Winter Storm	N/A	N/A	A winter storm event brought snowfall totals of eight to 14 inches to the Town of Chenango, with some parts experiencing close to two feet of snow. Total damages in the Town were estimated at approximately \$11,001.	Broome County HMP
February 13-15, 2007 (Valentine's Day Storm)	Severe Winter Storm	N/A	N/A	The Valentine's Day Storm was the largest snowstorm to effect central New York State and northeast Pennsylvania during the 2006-2007 winter season. This storm was classified as "major" on the Northeast Snowfall Impact Scale. Snowfall totals in Broome County ranged from 12 inches in the Town of Vestal to 21.5 inches in the Town of Sandord/Village of Windsor. The County had approximately \$30 K in property damage.	NWS, NOAA-NCDC
April 15-16, 2007	Winter Storm	N/A	N/A	A mix of light rain and snow fell over central New York State during the afternoon of the 15 th . During the evening, precipitation changed back to snow north and west of the Catskills. The morning of the 16 th , the snow became heavy and continued across central New York State. Snow totals across the state ranged from two inches to two feet. In Broome County, snowfall totals ranged between 8 and 14 inches.	NOAA-NCDC, NWS
December 13-14, 2007	Snowfall	N/A	N/A	Snowfall totals in Broome County ranged from 6.2 inches at Whitney Point to 9.5 inches in the City of Binghamton.	NWS
December 30-31, 2007	Snowfall	N/A	N/A	An area of low pressure moved across the northeast U.S., producing snow amounts ranging from two to six inches across the central and western portions of NYS, with higher amounts across the east. Snowfall totals in Broome County ranged from five to eight inches.	NWS
December 11-31, 2008	Severe Winter Storm (snow and ice)	EM-3299 / DR-1827 (PA)	No	Between December 11 th and 12 th , wintry precipitation fell in central New York State. A band of heavy snow developed across central New York State, from the Finger Lakes to Onondaga and Madison Counties, bringing between five and 10 inches of snow. Further east, in Chenango, Delaware and Otsego Counties, significant icing was experienced and more than a half inch of ice fell. Snowfall totals in Broome County ranged between one and 7 inches. Another storm occurred December 18 th . The storm brought snow across all of central New York State, with accumulations ranging from six to 11 inches. In Broome County, snowfall amounts ranged between five and eight inches.	FEMA, NOAA-NCDC, NWS



SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

Dates of Event	Event Type	FEMA Declaration Number	County Designated?	Losses / Impacts	Source(s)
December 9, 2009	Snowfall	N/A	N/A	Snowfall totals in Broome County ranged from 4 inches in Deposit to 6.4 inches in the City of Binghamton.	NWS
February 10, 2010	Winter Storm	N/A	N/A	Snowfall totals in Broome County ranged from 4 inches at Whitney Point Dam to 6.4 inches in Endicott	NWS
February 25-26, 2010	Winter Storm	N/A	N/A	During the afternoon of the 25 th , snow became heavy and wind speeds ranged between 20 and 25 mph, with gusts of 35 mph. This caused near-blizzard conditions and state of emergencies were declared for several counties in central New York State. Snowfall totals ranged from 10 to 20 inches, with two to three feet in the Catskills. In Broome County, heavy snow fell across the county, with amounts ranging from 8 inches at West Whitney Point Dam to 17.3 inches in the City of Binghamton.	NOAA-NCDC, NWS
December 4-9, 2010	Snowfall	N/A	N/A	Snowfall totals in Broome County ranged from 7.9 inches in the Town of Vestal to 21.7 inches in the City of Binghamton.	NWS
February 21, 2011	Snowfall	N/A	N/A	Snowfall totals in Broome County ranged from 3 inches in the Village of Deposit to 5 inches in Chenango Falls and Maine.	NWS
February 25-26, 2011	Heavy Snowfall	N/A	N/A	A low pressure system brought a significant snowfall of six to 12 inches to the area. Winds gusted up to 40 mph along the Lake Erie shore. A 30-mile stretch of the NYS Thruway, between Hamburg and Dunkirk, was closed due to multiple accidents. There were several reports of building collapses throughout the region from the weight of the snow. Snowfall totals in Broome County ranged from 7.5 inches in the Village of Windsor to 21.5 inches in the Town of Vestal. Total damages from this event were approximately \$35K; however, this includes multiple counties, including Broome County.	NWS
March 6-7, 2011	Heavy Snowfall	N/A	N/A	Snowfall totals in Broome County ranged from 7.5 inches in the Village of Windsor to 21.5 inches in the Town of Vestal.	NWS
October 29-30, 2011	Snow	N/A	N/A	Snowfall totals in Broome County ranged from 0.7 inches in the City of Binghamton to 2.8 inches in the hamlet of Tracy Creek (Town of Vestal).	NWS

Sources: NOAA-NCDC, FEMA, NWS, SHELDUS



SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

Note: Monetary figures within this table were U.S. Dollar (USD) figures calculated during or within the approximate time of the event. If such an event would occur in the present day, monetary losses would be considerably higher in USDs as a result of inflation.

DR	Disaster Declaration
EM	Emergency Declaration
FEMA	Federal Emergency Management Agency
N/A	Not Applicable
NCDC	National Climatic Data Center
NOAA	National Oceanic and Atmospheric Administration
NWS	National Weather Service
PA	Public Assistance
SHELDUS	Spatial Hazard Events and Losses Database for the United States



Probability of Future Events

Winter storm hazards in New York State are virtually guaranteed yearly since the State is located at relatively high latitudes resulting in winter temperatures that range between 0°F and 32°F for a good deal of the fall through early spring season (late October until mid-April). In addition, the State is exposed to large quantities of moisture from both the Great Lakes and the Atlantic Ocean. While it is almost certain that a number of significant winter storms will occur during the winter and fall season, what is not easily determined is how many such storms will occur during that time frame (NYS HMP, 2011).

The New York State HMP includes a similar ranking process for hazards that affect the State. Based on historical records and input from the Planning Committee, the probability of at least one winter snow storm of emergency declaration proportions, occurring during any given calendar year is virtually certain in the State. Based on historical snow related disaster declaration occurrences, New York State can expect a snow storm of disaster declaration proportions, on average, once every 3 to 5 years. Similarly, for ice storms, based on historical disaster declarations, it is expected that on average, ice storms of disaster proportions will occur once every seven to 10 years within the State (NYS HMP, 2011).

In Section 5.3, the identified hazards of concern for Broome County were ranked. The probability of occurrence, or likelihood of the event, is one parameter used for hazard rankings. Based on historical records and input from the Planning Committee, the probability of occurrence for severe winter storms in the County is considered “High” (likely to occur within 25 years, as presented in Table 5.3-6).

Climate Change Impacts

Climate change is beginning to affect both people and resources in New York State, and these impacts are projected to continue growing. Impacts related to increasing temperatures and sea level rise are already being felt in the State. ClimAID: the Integrated Assessment for Effective Climate Change in New York State (ClimAID) was undertaken to provide decision-makers with information on the State’s vulnerability to climate change and to facilitate the development of adaptation strategies informed by both local experience and scientific knowledge (New York State Energy Research and Development Authority [NYSERDA], 2011).

Each region in New York State, as defined by ClimAID, has attributes that will be affected by climate change. Broome County is part of Region 3, Some of the issues in this region, affected by climate change, include: dairy dominates the agricultural economy and milk production losses are projected, Susquehanna River flooding increases, and this region is one of the first parts of the State hit by invasive insects, weeds and other pests moving north (NYSERDA, 2011).

Temperatures are expected to increase throughout the state, by 1.5 to 3°F by the 2020s, 3.5 to 5.5°F by the 2050s and 4.5 to 8.5°F by the 2080s. The lower ends of these ranges are for lower greenhouse gas emissions scenarios and the higher ends for higher emissions scenarios. Annual average precipitation is projected to increase by up to five-percent by the 2020s, up to 10-percent by the 2050s and up to 15-percent by the 2080s. During the winter months is when this additional precipitation will most likely occur, in the form of rain, and with the possibility of slightly reduced precipitation projected for the late summer and early fall. Table 5.4.2-5 displays the projected seasonal precipitation change for the Southern Tier ClimAID Region (NYSERDA, 2011).

Table 5.4.2-5. Projected Seasonal Precipitation Change in Region 3, 2050s (% change)

Winter	Spring	Summer	Fall
+5 to +15	0 to +15	-10 to +10	-5 to +10

Source: NYSEDA, 2011



SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

It is uncertain how climate change will impact winter storms. Based on historical data, it is expected that the following will occur at least once per 100 years:

- Up to eight inches of rain fall in the rain band near the coast over a 36-hour period
- Up to four inches of freezing rain in the ice band near central New York State, of which between one and two inches of accumulated ice, over a 24-hour period
- Up to two feet of accumulated snow in the snow band in northern and western New York State over a 48-hour period (NYSERDA, 2011)

New York State is already experiencing the effects of climate change during the winter season. Winter snow cover is decreasing and spring comes, on average, about a week earlier than it did a few years ago. Nighttime temperatures are measurably warmer, even during the colder months (NYSDEC, Date Unknown). Overall winter temperatures in New York State are almost five degrees warmer than in 1970 (NYSDEC, Date Unknown). The State has seen a decrease in the number of cold winter days (below 32°F) and can expect to see a decrease in snow cover, by as much as 25 to 50% by end of the next century. The lack of snow cover may jeopardize opportunities for skiing, snowmobiling and other types of winter recreation; and natural ecosystems will be affected by the changing snow cover (DeGaetano et al. [Cornell University], 2010).

VULNERABILITY ASSESSMENT

To understand risk, a community must evaluate what assets are exposed or vulnerable in the identified hazard area. For severe winter storm events, the entire County has been identified as the hazard area. Therefore, all assets in Broome County (population, structures, critical facilities and lifelines), as described in the County Profile section (Section 4), are vulnerable. The following section includes an evaluation and estimation of the potential impact severe winter storm events have on Broome County including:

- Overview of vulnerability
- Data and methodology used for the evaluation
- Impact, including: (1) impact on life, safety and health, (2) general building stock, (3) critical facilities (4) economy and (5) future growth and development
- Effect of climate change on vulnerability
- Change of vulnerability in the study area as compared to that presented in the 2007 Broome County Hazard Mitigation Plan
- Further data collections that will assist understanding of this hazard over time

Overview of Vulnerability

Severe winter storms are of significant concern to Broome County because of their frequency and magnitude in the region. Additionally, they are of significant concern due to the direct and indirect costs associated with these events; delays caused by the storms; and impacts on the people and facilities of the region related to snow and ice removal, health problems, cascade effects such as utility failure (power outages) and traffic accidents, and stress on community resources.

Data and Methodology

National weather databases and local resources were used to collect and analyze severe winter storm impacts on Broome County and the participating municipalities. The 2010 U.S. Census data and custom building and critical facility inventories were used to support an evaluation of assets exposed to this hazard and the potential impacts associated with this hazard.

Impact on Life, Health and Safety

According to the NOAA National Severe Storms Laboratory (NSSL); every year, winter weather indirectly and deceptively kills hundreds of people in the U.S., primarily from automobile accidents, overexertion and exposure. Winter storms are often accompanied by strong winds creating blizzard conditions with blinding wind-driven snow, drifting snow and extreme cold temperatures and dangerous wind chill. They are considered deceptive killers because most deaths and other impacts or losses are indirectly related to the storm. People can die in traffic accidents on icy roads, heart attacks while shoveling snow, or of hypothermia from prolonged exposure to cold. Heavy accumulations of ice can bring down trees and power lines, disabling electric power and communications for days or weeks. Heavy snow can immobilize a region and paralyze a city, shutting down all air and rail transportation and disrupting medical and emergency services. Storms near the coast can cause coastal flooding and beach erosion as well as sink ships at sea. The economic impact of winter weather each year is huge, with costs for snow removal, damage and loss of business in the millions (NSSL, 2006).

Heavy snow can immobilize a region and paralyze a city, stranding commuters, stopping the flow of supplies, and disrupting emergency and medical services. Accumulations of snow can collapse buildings

SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

and knock down trees and power lines. In rural areas, homes and farms may be isolated for days, and unprotected livestock may be lost. In the mountains, heavy snow can lead to avalanches. The cost of snow removal, repairing damages, and loss of business can have large economic impacts on cities and towns (NSSL, 2006).

Heavy accumulations of ice can bring down trees, electrical wires, telephone poles and lines, and communication towers. Communications and power can be disrupted for days while utility companies work to repair the extensive damage. Even small accumulations of ice may cause extreme hazards to motorists and pedestrians. Bridges and overpasses are particularly dangerous because they freeze before other surfaces (NSSL, 2006).

For the purposes of this HMP, the entire population of Broome County (200,600 people) is exposed to severe winter storm events (U.S. Census, 2010). Snow accumulation and frozen/slippery road surfaces increase the frequency and impact of traffic accidents for the general population, resulting in personal injuries. Refer to Table 4-2 in the County Profile for population statistics for each participating municipality.

The elderly are considered most susceptible to this hazard due to their increased risk of injuries and death from falls and overexertion and/or hypothermia from attempts to clear snow and ice. In addition, severe winter storm events can reduce the ability of these populations to access emergency services. Residents with low incomes may not have access to housing or their housing may be less able to withstand cold temperatures (e.g., homes with poor insulation and heating supply).

Impact on General Building Stock

The entire general building stock inventory in Broome County is exposed and vulnerable to the severe winter storm hazard. In general, structural impacts include damage to roofs and building frames, rather than building content. Table 5.4.2-8 presents the total exposure value for general building stock for each participating municipality (structure only).

There was no historic information available that identified property damages within Broome County due to a single severe winter storm event. Current modeling tools are not available to estimate specific losses for this hazard. As an alternate approach, this plan considers percentage damages that could result from severe winter storm conditions. Table 5.4.2-6 below summarizes percent damages that could result from severe winter storm conditions for the County’s total general building stock (structure only). Given professional knowledge and information available, the potential losses for this hazard are considered to be overestimated; hence, conservative estimates for losses associated with severe winter storm events.

Table 5.4.2-6. General Building Stock Exposure (Structure Only) and Estimated Losses from Severe Winter Storm Events in Broome County

Municipality	Total (All Occupancies) RV	1% Damage Loss Estimate	5% Damage Loss Estimate	10% Damage Loss Estimate
Barker (T)	\$245,603,867	\$2,456,039	\$12,280,193	\$24,560,387
Binghamton (C)	\$5,312,753,239	\$53,127,532	\$265,637,662	\$531,275,324
Binghamton (T)	\$522,216,611	\$5,222,166	\$26,110,831	\$52,221,661
Chenango (T)	\$1,167,397,602	\$11,673,976	\$58,369,880	\$116,739,760
Colesville (T)	\$594,908,364	\$5,949,084	\$29,745,418	\$59,490,836
Conklin (T)	\$689,373,838	\$6,893,738	\$34,468,692	\$68,937,384
Deposit (V)	\$205,956,462	\$2,059,565	\$10,297,823	\$20,595,646

SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

Municipality	Total (All Occupancies) RV	1% Damage Loss Estimate	5% Damage Loss Estimate	10% Damage Loss Estimate
Dickinson (T)	\$463,958,116	\$4,639,581	\$23,197,906	\$46,395,812
Endicott (V)	\$1,554,582,148	\$15,545,821	\$77,729,107	\$155,458,215
Fenton (T)	\$1,642,859,824	\$16,428,598	\$82,142,991	\$164,285,982
Johnson City (V)	\$1,701,657,687	\$17,016,577	\$85,082,884	\$170,165,769
Kirkwood (T)	\$887,919,332	\$8,879,193	\$44,395,967	\$88,791,933
Lisle (T)	\$243,060,463	\$2,430,605	\$12,153,023	\$24,306,046
Lisle (V)	\$32,507,650	\$325,077	\$1,625,383	\$3,250,765
Maine (T)	\$745,885,854	\$7,458,859	\$37,294,293	\$74,588,585
Nanticoke (T)	\$236,750,592	\$2,367,506	\$11,837,530	\$23,675,059
Port Dickinson (V)	\$132,815,184	\$1,328,152	\$6,640,759	\$13,281,518
Sanford (T)	\$509,560,960	\$5,095,610	\$25,478,048	\$50,956,096
Triangle (T)	\$259,177,505	\$2,591,775	\$12,958,875	\$25,917,751
Union (T)	\$3,206,644,822	\$32,066,448	\$160,332,241	\$320,664,482
Vestal (T)	\$2,702,778,040	\$27,027,780	\$135,138,902	\$270,277,804
Whitney Point (V)	\$375,221,286	\$3,752,213	\$18,761,064	\$37,522,129
Windsor (T)	\$666,476,857	\$6,664,769	\$33,323,843	\$66,647,686
Windsor (V)	\$124,696,682	\$1,246,967	\$6,234,834	\$12,469,668
Broome County	\$24,224,762,983	\$242,247,630	\$1,211,238,149	\$2,422,476,298

Source: Broome County GIS

Notes: C = City; T = Town; RV = Replacement Cost Value; V = Village. The building values shown are building structure only because damage from the severe winter storm hazard generally impact structures such as the roof and building frame (rather than building content).

A specific area that is vulnerable to the severe winter storm hazard is the floodplain. At risk general building stock and infrastructure in floodplains are presented in the flood hazard profile (Section 5.4.1) due to snow and ice melt. Generally, losses from flooding associated with severe winter storms should be less than that associated with a 100-year or 500-year flood. In summary, snow and ice melt can cause both riverine and urban flooding. Estimated losses due to riverine flooding in Broome County are discussed in Section 5.4.1.

Impact on Critical Facilities

Full functionality of critical facilities such as police, fire and medical facilities is essential for response during and after a severe winter storm event. These critical facility structures are largely constructed of concrete and masonry; therefore, they should only suffer minimal structural damage from severe winter storm events. Because power interruption can occur, backup power is recommended for critical facilities and infrastructure. Infrastructure at risk for this hazard includes roadways that could be damaged due to the application of salt and intermittent freezing and warming conditions that can damage roads over time. Severe snowfall requires infrastructure to clear roadways, alert citizens to dangerous conditions, and following the winter requires resources for road maintenance and repair. Additionally, freezing rain and ice storms impact utilities (i.e., power lines and overhead utility wires) causing power outages for hundreds to thousands of residents.

Impact on Economy



SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

The cost of snow and ice removal and repair of roads from the freeze/thaw process can drain local financial resources. However, because severe winter storms are a regular occurrence in this area, Broome County is generally well-prepared for snow and ice removal each season.

Future Growth and Development

As discussed in Sections 4 and 9, areas targeted for future growth and development have been identified across the County. Any areas of growth could be potentially impacted by the severe winter storm hazard because the entire planning area is exposed and vulnerable. Please refer to the specific areas of development indicated in tabular form and/or on the hazard maps (subsection I) included in the jurisdictional annexes in Volume II, Section 9 of this plan.

Effect of Climate Change on Vulnerability

Climate is defined not simply as average temperature and precipitation but also by the type, frequency and intensity of weather events. Both globally and at the local scale, climate change has the potential to alter the prevalence and severity of extremes such winter storms. While predicting changes of winter storm events under a changing climate is difficult, understanding vulnerabilities to potential changes is a critical part of estimating future climate change impacts on human health, society and the environment (U.S. Environmental Protection Agency [EPA], 2006).

The 2011 ‘Responding to Climate Change in New York State’ report was prepared for New York State Energy Research and Development Authority to study the potential impacts of global climate change on New York State. According to the synthesis report, it is uncertain how climate change will influence extreme winter storm events. Winter temperatures are projected to continue to increase. In general, warmer winters may lead to a decrease in snow cover and an earlier arrival in spring; all of which have numerous cascading effects on the environment and economy. Annual average precipitation is also projected to increase. The increase in precipitation is likely to occur during the winter months as rain, with the possibility of slightly reduced precipitation projected for the late summer and early fall. Increased rain on snowpack may lead to increased flooding and related impacts on water quality, infrastructure, and agriculture in the State. Overall, it is anticipated that winter storms will continue to pass through New York State (NYSERDA, 2011). Future enhancements in climate modeling will provide an improved understanding of how the climate will change and impact the Northeast.

Change of Vulnerability

When comparing the 2007 original HMP vulnerability assessment to this update, there is an increase in estimated potential losses from severe winter storms. The difference stems from the building inventory used to estimate these losses. The 2007 original HMP used the default general building stock inventory in HAZUS-MH (\$12.3 Billion – structure only) while this update used the custom building inventory (\$24.2 Billion – structure only). Overall, the County’s vulnerability has not changed and the entire County will continue to be exposed and vulnerable to severe winter storm events.

Additional Data and Next Steps

The assessment above identifies vulnerable populations and economic losses associated with this hazard of concern. Historic data on structural losses to general building stock are not adequate to predict specific losses to this inventory; therefore, the percent of damage assumption methodology was applied. This methodology is based on FEMA’s How to Series (FEMA 386-2), Understanding Your Risks, Identifying and Estimating Losses (FEMA, 2001) and FEMA’s Using HAZUS-MH for Risk Assessment (FEMA 433) (FEMA, 2004). The collection of additional/actual valuation data for general building stock and

SECTION 5.4.2: RISK ASSESSMENT – SEVERE WINTER STORM

critical infrastructure losses would further support future estimates of potential exposure and damage for the general building stock inventory. Mitigation strategies addressing early warning, dissemination of hazard information, provisions for snow removal, and back-up power are included in Section 9 of this plan.